

Lutron Keypad Brochure





Contents

esthetic Styles	2
eypad Range	6
Architectural seeTouch⊚ Keypad	8
International seeTouch _® Keypad	10
Signature Series™ Keypad	12
RF seeTouch⊚ Tabletop Keypad	14
Architrave™ Keypad	16
Dynamic Keypad	18
Palladiom™ Keypad	20
GRAFIK® T Slider	22
Pico _® Wireless Control	24
QS Wallbox Closure Interface	26
olours and finishes	28
ustom engraving	30
ustom controls	32

Introduction

Lighting control refines and finishes every beautiful space. Lutron keypads complete the experience, offering an aesthetic, inviting, and intuitive control to ensure the perfect light for everything you do.

Lutron offers a wide variety of colours, styles, finishes, and functions to help you create an environment that reflects your unique sense of design. Browse through our keypads brochure to select controls that best complement and coordinate with everything in your home or business.





Aesthetic Styles

Like other fixtures and fittings in your home, lighting and blind controls play an important part in the design of any room. We offer a wide range of keypads to provide attractive, intuitive control in wall-mounted and tabletop designs.

Colour, finish, and aesthetic options are illustrated in the following pages, along with information on product features. For information in available colours and finishes, please see pages 28-29.

Architectural seeTouch® Keypad

Architectural-style keypads feature beveled edges and precise corners

- Large, easy-to-use, rounded buttons
- Illuminated button labels are easy to read day or night
- Custom engraving personalises each control
- Contact closure inputs allow integration of occupancy sensors

International seeTouch® Keypad

The International seeTouch keypad provides elegant, intuitive control of lights and blinds

- Large, easy-to-use, rounded buttons
- Illuminated button labels are easy to read day or night
- Custom engraving personalises each control
- Contact closure inputs allow integration of occupancy

Signature Series™ Keypad

A slim, elegant solution, Signature Series Keypads incorporate lighting control into standard size millwork

- Large, easy-to-use, rounded buttons
- Illuminated buttons labels are easy to read day or night
- Custom engraving personalises each control
- Contact closure inputs allow integration of occupancy

RF seeTouch® Tabletop Keypad

seeTouch Tabletop Keypads allow your client to have total home control from wherever it's convenient, such as bedside or countertop locations

- Large, easy-to-use, rounded buttons
- Illuminated button labels are easy to read day or night
- Custom engraving personalises each control
- Operates on batteries or with a plug-in transformer



Architectural seeTouch®



International seeTouch



Signature Series



RF seeTouch® Tableto

2 Lutron www.lutron.com/europe www.lutron.com/europe 2 Lutron 3

Aesthetic Styles

Palladiom™ Keypad

The Palladiom keypad offers a beautiful architectural aesthetic with sleek minimalistic design.

- Buttons and faceplates are made from the same material for a coordinated look
- Large buttons are easy to use
- User customisable, backlit text makes the keypad easy to read and provides scene status to the user
- Available globally in two styles
 rectangular and square
- International (square) versions available with one or two columns
- Faceplates and buttons are available in matte plastic, metal, and glass finishes

Dynamic Keypad

The Dynamic Keypad allows simple, intuitive control of lights, blinds, HVAC, and audio/video equipment from a single location

- Screen provides a rich user experience and flexible control for a single room or an entire home
- Individual pages allow simple control of lighting, blinds, and temperature and more
- Three buttons at bottom provide control of frequently used functions

Architrave™ Keypad

Architrave keypads offer another option for incorporating your keypads into door jambs and other millwork where traditional keypads will not work

- Custom engraving below each button personalises each control
- Small LEDs beside each button show lighting status

GRAFIK® T Slider

This architectural touch slider establishes a new language for lighting control.

- Simple and intuitive touch control adds style to any space
- Provides local zone control of any lighting load type
- Available in Architectural matte, metal, and glass finishes


Pico_® Wireless Control

Versatile Pico wireless control can function as a lightweight handheld remote, a stylish tabletop control, or a wallmounted keypad

- 2 or 3 button models with and without raise/lower capability
- Large easy to use buttons
- 10-year battery life
- Models available with icons or labels for lights and blinds

Wallbox Closure Interface

You can still use your favourite keypad with a Lutron system thanks to our Wallbox Closure Interface (WCI). Please see page 26 for details.



Palladiom™ US & International



Dynamic Keypad



Architrave...



GRAFIK® T Slider



Pico Wireless




Wallhox Closure Interface

4 Lutron www.lutron.com/europe www.lutron.com/europe 5

Keypad range

PRODUCT LINE COMPATIBILITY				
	Commercial		Window Systems	Residential
	GRAFIK® Eye QS	Quantum _®	Sivoia® QS	HomeWorks® QS
Architectural seeTouch® Keypad	•	•	•	•
International seeTouch® Keypad	•	•	•	•
Signature Series™ Keypad	•	•	•	•
RF seeTouch® Tabletop Keypad				•
Architrave _™ Keypad	•	•	•	•
Dynamic Keypad				•
Palladiom™ Keypad		•		•
GRAFIK® T Slider		•		•
Pico® Wireless Control	•	•	•	•
QS Wallbox Closure Interface	•	•	•	•



6 Lutron www.lutron.com/europe


Architectural seeTouch_® Keypad



Characteristics

Dimensions:	Front 70mm x 116mm (2.75in x 4.56in) Side/depth 27mm (1.06in)
Wired	Yes
Wireless	No
IR options	Yes
Button configuration	Up to 7
Status lights	Yes
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Standard US backbox

Standard configurations available



Custom* configurations are also available.

Models are available with or without an insert as shown on the opposite page.

^{*} Not all configurations are available for all product lines. Refer to specifications of individual product lines.


International seeTouch_® Keypad



Characteristics

Dimensions:	Front 86mm x 86mm (3.50in x 3.50in) Side/depth 28mm (1.13in)
Wired	Yes
Wireless	No
IR options	Yes
Button configuration	Up to 10
Status lights	Yes
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Standard UK square or European round backbox 35mm deep minimum

Standard configurations available



Custom* configurations are also available.

Models are available with or without an insert as shown on the opposite page.


Signature Series™ Keypad



Characteristics

Dimensions:	Front 46mm x 121mm (1.80in x 4.75in) Side/depth 41mm (1.62in)
Wired	Yes
Wireless	No
IR options	No
Button configuration	Up to 7
Status lights	Yes, green or blue available
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Signature Series backbox (sold separately) 113.03mm (high) x 39.37mm (wide) x 71.12mm (deep) (4.45in x 1.55in x 2.8in)

Standard configurations available



Custom* configurations are also available.

Models are available with or without an insert as shown on the opposite page.


RF seeTouch_® Tabletop Keypad



Characteristics


Dimensions:	Front 91mm x 82mm (3.56in x 3.25in) Side/depth 25mm (top) - 18mm (base) (1.00in - 0.75in)
Wired	No
Wireless	Yes
IR options	No
Button configuration	5,10,15
Status lights	Yes
Backlit buttons	Yes, if plugged in. Backlighting times out if battery powered.
Custom engraving	Available
Backbox type	N/A however a wall mounting option is available

Standard configurations available



Custom* configurations are also available.

Architrave_™ Keypad



Characteristics

Dimensions:	Door wide front 45.7mm x 114.3mm (1.80in x 4.50in) Door narrow front 34mm x 114.3mm (1.34in x 4.50in) Both models are 41.7mm deep (1.65in)
Wired	Yes
Wireless	No
IR options	No
Button configuration	7 buttons
Status lights	Yes
Backlit buttons	No
Custom engraving	Available
Backbox type	111.76mm (high) x 31.75mm (wide) x 69.85mm (deep) (4.4in x 1.25in x 2.75in)

Standard configurations available



Custom* configurations are also available.

Dynamic Keypad





Characteristics

Dimensions:	Front 60mm x 130mm (2.38in x 5.13in) Side/depth 57mm (2.25in)
Wired	Yes
Wireless	Yes (consult Lutron)
IR options	No
Button configuration	N/A
Status lights	Yes
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Available (purchased separately)

Example pages




Palladiom™ Keypad



Characteristics

	US style	International style
Dimensions:	Front 75mm x 119mm (2.9in x 4.7in) Side/depth 9mm (0.4in)	1 column faceplate: Front 95mm x 95mm (3.75in x 3.75in) Side/depth 8mm (0.3in) 2 column faceplate: Front 102mm (w) x 95mm (h) (4.02in x 3.75in) Side/depth 8mm (0.3in)
Wired	Yes	Yes
Wireless	No	No
IR options	No	No
Button configuration	2, 3, 3 with R/L, 4	2, 3, 3 with R/L, 4
Button columns	1	1, 2
Status lights	Yes	Yes
Backlit buttons	Yes	Yes
Custom engraving	Available	Available
Backbox type	Standard US backbox	Standard UK square/European round

Standard configurations available



Matching thermostats are available




GRAFIK® T Slider





Characteristics

Dimensions:	Front 119mm x 75mm (4.69in x 2.94in) Side/depth 11mm (0.42in)
Wired	Yes
Wireless	No
IR options	No
Button configuration	Slider
Status lights	Yes
Backlit buttons	Yes on slider
Custom engraving	No
Backbox type	Standard US backbox

Standard configuration available







Pico_® Wireless Control



Characteristics

Dimensions:	Front 33mm x 66mm (1.30in x 2.60in), not including mounting Side/depth 8mm (0.31in)
Wired	No
Wireless	Yes
IR options	No
Button configuration	From 2 to 5
Status lights	No
Backlit buttons	No
Custom engraving	Select from standard options
Backbox type	N/A however a wall mounting option is available

Standard configurations available









Lutron 25 www.lutron.com/europe

QS Wallbox Closure Interface





Characteristics

- Place in the wallbox behind a contact closure keypad
- Provides 8 contact closure inputs (CCIs), maintained or momentary

Dimensions:	Front 52mm x 59.5mm (2.10in x 2.40in), depth 21mm (0.9in)
Wired	Yes
Wireless	No
IR options	No
Configuration	8 contact closure inputs
Status lights	No
Backlit buttons	No
Custom engraving	No
Backbox type	N/A (fits inside a standard UK square or European round backbox)

Colours and finishes

You can choose keypad colours and styles to complement a room's look and feel, and to coordinate with the overall design of your home or building.

As a finishing touch, you can also add custom engraving, to your keypad such as text, icons, and images.

MATTE/GLOSS FINISHES	METAL FINISHES
Arctic White (AW)	Matte White Metal (WH)
	5。 使发出,但是在12° 。 其二年,是12° 。 其二年,
Argentum (AR)	Satin Nickel (SN)
Mica (MC)	Satin Brass (SB)
White (WH)	Satin Chrome (SC)
(,	THE RESIDENCE OF THE PROPERTY
Beige (BE)	Antique Brass (AB)
	maque Diuse (12)
Almond (AL)	Antique Bronze (QZ)
Alliona (AL)	Airique Bronze (QZ)
Taupe (TP)	Bright Nickel (BN)
Grey (GR)	Bright Brass (BB)
Sienna (SI)	Bright Chrome (BC)
Brown (BR)	Black Anodized Aluminium [†] (BLA)
	THE RESERVE OF THE PARTY OF THE PARTY.
Black (BL)	Brass Anodized Aluminium [†] (BRA)
Snow (SW)	Clear Anodized Aluminium [†] (CLA)
Midnight (MN)	Gold Plated (AU) [†]
	GLASS FINISHES
	——————————————————————————————————————
	White with Clear Class (CWI)
	White with Clear Glass (CWH)
	White with Green Glass (GWH)
	White with Green Glass (GWH)

	T	Cust	tom	finis	r
--	---	------	-----	-------	---

Not all keypad styles and colour/finishes are available with all Lutron systems. Please consult your system designer for further details.

	Architectural seeTouch®	International seeTouch®	Signature Series	RF seeTouch® Tabletop	Architrave	Dynamic Keypad	Palladiom™ keypads	GRAFIK® T Slider	Pico® Wireless Control
MATTE FINISHES									
Arctic White		•							
Argentum		•							
Mica		•							
White	•						•	•	•
Beige	•						•	•	
Light Almond	•						•	•	
Almond	•						•	•	
Ivory	•						•	•	
Taupe	•						•	•	
Grey	•						•	•	
Sienna	•						•	•	
Brown	•						•	•	
Black	•						•	•	•
Snow				•					
Midnight GLOSS FINISHES				•					
White						•			
Black						•			
METAL FINISHES									
Matte White Metal			•		•				
Satin Nickel	•	•	•	•	•		•	•	
Satin Brass	•	•	•	•	•		•	•	
Satin Chrome	•	•	•	•	•		•	•	
Antique Brass	•	•	•	•	•			•	
Antique Bronze	•	•	•	•	•			•	
Bright Nickel	•	•	•	•	•		•	•	
Bright Brass	•	•	•	•	•		•	•	
Bright Chrome	•	•	•	•	•		•	•	
Black Anodized Aluminium [†]	•	•	•	•	•			•	
Brass Anodized Aluminium [†]	•	•	•	•	•			•	
Clear Anodized Aluminium [†]	•	•	•	•	•			•	
Gold Plated†	•	•	•		•				
GLASS FINISHES									
Clear Glass Green Glass	•	•					•	•	

[†] Custom finish.

28 Lutron www.lutron.com/europe www.lutron.com/europe 29

Custom engraving

As a finishing touch, you can add custom engraving. Text, icons, and images are all possible.



Icons and images

We have created a set of icons for engraving. You can choose from these or send us an original.



Instead of using words to describe the functions of each button, the customer chose to use icons. The icons show the blind position.

You can also use an existing image or create a new one to place on the faceplate of the control. Common customisations include company logos.



This control features decorative faceplate engraving that was specifically designed to complement the room's décor.

Our laser-engraving capabilities include the following icons in either dark gray or white text.



Fonts and languages

The engraved font can be changed from the standard Helvetica to nearly any font, including characters from any language.

Engraving guidelines

For images and icons, files must be provided in .dxf or high-res .pdf format. In some cases, images and icons may need to be resized to fit appropriately on a button or faceplate.

For custom fonts, you can provide true-type font files or request a font by name.

30 Lutron www.lutron.com/europe www.lutron.com/europe Lutron 31

Custom controls

Lutron controls have always been well known for their beautiful aesthetic, intuitive nature, and variety of standard choices. For projects that require specific design elements, or an exceptionally high degree of detail, Lutron can help you create a unique control for each and every space.

Customised Design Features

- Faceplates can be customised to cover other devices
- Custom button shapes and sizes available
- Custom colours and finishes available
- LED colour options available for some controls



To discuss potential options on how a control can be designed to meet your needs, please contact your local Lutron representative.

You can download our Custom Controls brochure 367-1753 from our website www.lutron.com/europe

Custom Faceplates and Buttons

The faceplate and buttons are the most noticeable components of a Lutron control. You can customise or create a faceplate and button to meet your design requirements.

We can also provide controls with buttons that are unique in size or shape, or that have a reduced number of buttons.

Custom Bases

Control bases can be created in many materials, sizes, and shapes to accommodate nearly any space and design. Customisation can include converting a standard wall control to a tabletop control

Speciality Controls

The Custom Controls Group can customise Lutron wallstations to change their basic functionality, configuration, or aesthetics, to meet a specific application. Some limitations apply; please contact Lutron Customer Service for details.

What can be customised - This faceplate was created to fit over a third-party thermostat and a Lutron keypad





Round button Architectural seeTouch® keypad.



Contact-closure control with seeTouch® buttons.



Eight-scene IR remote control with custom metal finish.

WORLDWIDE HEADQUARTERS

Lutron Electronics Co., Inc. 7200 Suter Road

Coopersburg, PA 18036-1299

USA

Toll-free: 1 888 LUTRON1 TEL: +1 610 282 3800 FAX: +1 610 282 1243 intsales@lutron.com

EUROPEAN HEADQUARTERS

Lutron EA Ltd. 6 Sovereign Close London, E1W 3JF

UK

FREEPHONE: 0800 282 107 TEL: +44 (0)20 7702 0657 FAX: +44 (0)20 7480 6899 lutronlondon@lutron.com

ASIAN HEADQUARTERS

Lutron GL Ltd. 390 Havelock Road #07-04 King's Centre Singapore, 169662 TEL: +65.6220.4666 FAX: +65.6220.4333 lutronsea@lutron.com

INTERNATIONAL OFFICES

Brazil: São Paulo TEL: +55 11 3257 6745

China: Beijing

TEL: +86 10 5925 1340

China: Guangzhou TEL: +86 20 2885 8378

China: Hong Kong TEL: +852 2104 7733

China: Shanghai

TEL: +86 21 6165 0990

Colombia: Bogotá

TEL: +57 1 634 1500

France: Paris

TEL: +33 1 56 59 16 64

Germany: Berlin

TEL: +49 309 710 4590

India: Bangalore TEL: +18001020093

India: Gurgaon

TEL: +91 124 439 0130

India: Mumbai

TEL: +18001020093

Italy: Milan

TEL: +39 800 979 208

Japan: Tokyo

TEL: +81 3 6866 8444

Mexico: Mexico

TEL: +52 614 158 3435

Russia: Moscow TEL: +7 495 649 6094

Saudi Arabia: Riyadh TEL: +966 11 466 1546

Spain: Barcelona TEL: +34 93 222 1180

UAE: Dubai

TEL: +971 4 299 1224

Call Toll-free: 800 1321 5858 from the following countries: Austria, Belgium, Bulgaria, Czech Republic, Hungary, Latvia, Luxembourg, Netherlands, Poland, Slovakia and Switzerland















